

# Safety Data Sheet

## Technozym VWF:CBA Calibrator Set



SDS No. 6ND00.01  
p 1/6 EN

Temp.: FF0602.01  
At: 03 to D00068

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name/Reference No. Technozym VWF:CBA Calibrator Set 5 x 0.5 mL REF 5450310

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) For professional users only  
Uses Advised Against Not known.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Technoclone Herstellung von Diagnostika und Arzneimitteln GmbH  
Address of Manufacturer Brunner Strasse 67  
1230 Vienna  
Austria  
Postal code 1230  
Telephone: +43 1 86373-0  
Fax +43 1 86373-44  
E-mail products@technoclone.com  
Office hours 8:00 – 16:00

#### 1.4 Emergency telephone number

Emergency Phone No. +43 1 86373-0  
Contact products@technoclone.com  
National response center  
Address NHS Direct  
Emergency Phone No. +44 111

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use

#### 2.2 Label elements

Product Name According to Regulation (EC) No. 1272/2008 (CLP)  
Technozym VWF:CBA Calibrator Set  
Hazard Pictogram(s) None.

#### 2.3 Other hazards

None known.

#### 2.4 Additional Information

Contains human derived material - potentially biohazardous

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

Product does not contain any hazardous ingredients.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Skin Contact Wash skin with water.  
Eye Contact Flush eyes with water for at least 15 minutes.

# Safety Data Sheet

## Technozym VWF:CBA Calibrator Set



SDS No. 6ND00.01  
p 2/6 EN

Temp.: TF0602.01  
At: 03 to D00068

Ingestion Wash out mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.  
Unsuitable extinguishing media None.

### 5.2 Special hazards arising from the substance or mixture

None anticipated. Heating may cause decomposition.

### 5.3 Advice for firefighters

As appropriate for surrounding fire.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

### 6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

### 6.3 Methods and material for containment and cleaning up

Sweep spilled substances into containers if appropriate moisten first to prevent dusting.

### 6.4 Reference to other sections

See also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Not known.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage temperature +2°C to +8°C  
Storage life Stable under normal conditions.  
Incompatible materials None known.

### 7.3 Specific end use(s)

In vitro diagnostic use

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

8.1.1 Occupational Exposure Limits No Occupational Exposure Limit assigned.

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).  
Skin protection Gloves recommended  
Respiratory protection Normally no personal respiratory protection is necessary.  
Thermal hazards None known.

# Safety Data Sheet



## Technozym VWF:CBA Calibrator Set

SDS No. 6ND00.01  
p 3/6 EN

Temp.: FF0602.01  
At: 03 to D00068

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state	solid (lyoph.)
Colour	white-yellowish
Odour	odourless
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not applicable.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not applicable.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : readily miscible. Solubility (Other) : Not known
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.

#### 9.2 Other information

None.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

None anticipated.

#### 10.2 Chemical Stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

#### 10.4 Conditions to avoid

None anticipated.

#### 10.5 Incompatible materials

Not known.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Low acute toxicity
Acute toxicity - Skin Contact	Low acute toxicity
Acute toxicity - Inhalation	Low acute toxicity
Skin corrosion/irritation	Non-irritant
Serious eye damage/irritation	Non-irritant
Skin sensitization data	Not classified
Respiratory sensitization data	Not classified
Germ cell mutagenicity	There is no evidence of mutagenic potential.

# Safety Data Sheet



SDS No. 6ND00.01  
p 4/6 EN

Temp.: FF0602.01  
At: 03 to D00068

## Technozym VWF:CBA Calibrator Set

Carcinogenicity	No evidence of carcinogenicity.
Reproductive toxicity	Not classified
Lactation	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified

### 11.2 Information on other hazards

Not known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

### 12.2 Persistence and degradability

Not known.

### 12.3 Bioaccumulative potential

Not known.

### 12.4 Mobility in soil

Not known.

### 12.5 Results of PBT and vPvB assessment

Not known.

### 12.6 Endocrine disrupting properties

None known.

### 12.7 Other adverse effects

Not known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose at suitable refuse site.

### 13.2 Additional Information

No special precautions are required for this product.

## SECTION 14: TRANSPORT INFORMATION

**Not classified as hazardous for transport.**

### 14.1 UN number or ID number

Not applicable

### 14.2 UN proper shipping name

Not applicable

### 14.3 Transport hazard class(es)

Not applicable

### 14.4 Packing group

Not applicable

# Safety Data Sheet

## Technozym VWF:CBA Calibrator Set



SDS No. 6ND00.01  
p 5/6 EN

Temp.: TF0602.01  
At: 03 to D00068

### 14.5 Environmental hazards

Not classified as a Marine Pollutant.

### 14.6 Special precautions for user

Not known

### 14.7 Maritime transport in bulk according to IMO instruments

Not known

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Not listed

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

### 15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

## SECTION 16: OTHER INFORMATION

Date of Issue 2024-07-22 (replaces SDS No. 119 v02 from 2017-05-05)

Date of Revision n.a.

### LEGEND

Hazard Pictogram(s) None.

Precautionary Statement(s) None.

Acronyms

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

# Safety Data Sheet



## Technozym VWF:CBA Calibrator Set

SDS No. 6ND00.01

p 6/6

EN

Temp.: TF0602.01  
Att 03 to D00068

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources Regulation (EC) No. 1272/2008 (CLP)  
for data used to compile the SDS

### Disclaimers

Information contained in this publication or as otherwise supplied to users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Technoclone Herstellung von Diagnostika und Arzneimitteln GmbH gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Technoclone Herstellung von Diagnostika und Arzneimitteln GmbH accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.